

CHILADES MOORE, [1881], A NEW GENUS FOR THE BULGARIAN FAUNA (LEP.: PAPILIONOIDEA: LYCAENIDAE)

ALEXANDER SLIVOV & STANISLAV ABADJIEV

Institute of Zoology, Bulgarian Academy of Sciences, 1 Tsar Osvoboditel Blvd, Sofia 1000, Bulgaria.

THE SMALLEST European butterfly *Chilades trochylus trochylus* (Freyer, [1845]) was previously known from Greece and European Turkey (type-locality) (Hesselbarth, van Oorschot & Wagener, 1995: 586; Tolman, 1997: 100-101). Recently a single male with the following data has been found: S Black Sea Coast: S Ahtopol: Veleka (UTM grid code 35TNG75); 16 June 1968: A. Slivov leg. et coll. (in collection Institute of Zoology, Sofia) (Fig. 1). This new record extends significantly the range of this subspecies in Europe and is also even a new genus for the Bulgarian butterfly fauna.




Figure 1.

UTM map of Bulgaria showing the locality of *Chilades trochylus trochylus* (Freyer, [1845]).

References

- Hesselbarth, G., van Oorschot, H & Wagener, S., 1995. Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Selbstverlag Sigbert Wagener, Bocholt, Bd. 1-3: 1354 + 847 pp.
- Tolman, T., 1997. *Butterflies of Britain & Europe*. Harper Collins Publishers, London - Glasgow - New York - Sydney - Auckland - Toronto - Johannesburg, 320 pp., A, B+104 Pls.